

ASBESTOS AWARENESS



Asbestos is the generic term for a number of lbrous silicate minerals. Due to its ability to withstand heat, erosion, decay as well as being both lre and water resistant, it was widely used in building materials.

It was often called Fibro and included in products like asbestos cement sheeting both §at and corrugated, water pipes, §ues, insulation, vinyl §ooring lagging around hot water pipes and around the doors of combustion wood heaters to form a seal.

If your premises was built or renovated before 1987 it will likely have asbestos used in it. As many as 1 in 3 houses in Australia still has some form of asbestos in it.

If the asbestos containing material is sealed, in good condition and left undisturbed it doesn't pose a risk to health.

Never cut, drill, scrape, scrub or water blast any asbestos products as this will release !bres into the air.

HEALTH RISKS

When disturbed asbestos containing material releases lbres into the air that can be inhaled and lead to signilcant health risks such as mesothelioma, lung cancer and asbestosis.

FRIABLENON FRIABLE ASBESTOS

Friable asbestos is any material that contains asbestos and is in the form of a powder or can be crumbled, pulverised or reduced to powder by hand pressure (eg weathered or burnt asbestos).

Non friable asbestos is any material that contains asbestos that cannot be crumbled, pulverised or reduced to a powder by hand pressure.

REMOVAL AND DISPOSAL

FRIABLE ASBESTOS

Removal of friable asbestos of any quantity *must only be done by a*Class A licenced asbestos removal contractor.

At the completion of the removal you should be provided with a Clearance Certilcate issued by a SafeWork NSW licenced asbestos assessor.

NON FRIABLE ASBESTOS

If you use the appropriate safety precautions you are permitted to remove a *maximum of 10 square metres* of non-friable asbestos containing material and correctly dispose of it. Asbestos can only be disposed of at specilic waste sites. The only waste facility in the Dubbo Regional Council area that is licenced to accept asbestos is the Whylandra Waste & Recycling Centre on Cooba Rd Dubbo. No asbestos can be left at any of the transfer stations or other waste facilities in the region. You need to contact the facility on 6801 4900 to arrange disposal.

All asbestos waste must be:

- wetted down,
- wrapped in 200um thick plastic and sealed with tape,
- clearly labelled as asbestos waste before it is transported to waste management facility.

If disposing of the waste yourself be sure to retain a copy of the receipt as proof of correct disposal.

For more than *10 square metres* of non-friable asbestos you must engage a licenced class A or B asbestos removalist.Licence holders are listed on the SafeWork NSW website; Asbestos and Demolition Licence Holders

The licenced removalist should provide you with a receipt from the waste management facility as proof that it was correctly disposed of.

At the completion of the removal you should also be provided with a clearance certilicate, issued by an independent competent person.

REPORTING ASBESTOS MATTERS

Illegal Dumping of Asbestos – report to your local Council or EPA

Environment Line on 131 555.

Health concerns originating from private premises – report to Councils

Environment and Health O"cers on 6801 4000.

If asbestos is not being handled correctly on a worksite where there are

employees or contractors - report to SafeWork NSW on 13 10 50.

MORE INFORMATION

View a copy of Dubbo Regional Council's Asbestos Policy at A-Z Council

Policies

https://asbestosawareness.com.au

https://www.safework.nsw.gov.au/hazards-a-z/asbestos

https://www.epa.nsw.gov.au/asbestos

Last Edited: 22 Mar 2023